

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Robert C. Kowert (the Undersigned Attorney, Reg. No.39,255) on 4/12/2010.

The application has been amended as follows:

IN THE CLAIMS:

Please **amend** claims 22 and 27 as follows:

1. (Previously presented) A method for managing a network, the method comprising:
a client generating a request for type information for an attribute or event pertaining to management of one or more managed network objects, wherein the request is expressed in an interface definition language, wherein the interface definition language is operable to define object interfaces across a plurality of platforms and across a plurality of programming languages, wherein each managed network object is a computer programming language object representing one or more devices on a network;
sending the request for type information to an object request broker;
a metadata gateway receiving the request for type information from the object request broker;
reading the type information from a metadata repository, wherein the type information is

stored in a database format in the metadata repository;
translating the type information from the database format to the interface definition language;
the metadata gateway sending the translated type information to the object request broker;
and
the client receiving the translated type information for the attribute or event through the
object request broker, wherein the translated type information is expressed in the interface
definition language.

2. (Original) The method of claim 1, wherein the translating the type information from
the database format to the interface definition language comprises:

translating the type information from the database format to an abstract syntax notation; and
translating the type information from the abstract syntax notation to the interface definition
language.

3. (Previously presented) The method of claim 2, wherein the abstract syntax notation is Abstract
Syntax Notation One (ASN1).

4. (Original) The method of claim 2, wherein the translating the type information from the
abstract syntax notation to the interface definition language comprises:

translating the type information from the abstract syntax notation to an object specification
language; and

translating the type information from the object specification language to the interface definition
language.

5. (Original) The method of claim 1, wherein the sending the request for type information to an
object request broker, the metadata gateway receiving the request for type information from the

Art Unit: 2451

object request broker, the metadata gateway sending the translated type information to the object request broker, and the client receiving the translated type information for the attribute or event through the object request broker are effected via an internet inter-object communication protocol.

6. (Previously presented) The method of claim 5, wherein the internet inter-object communication protocol comprises Internet Inter-Object Protocol (IIOP).

7. (Original) The method of claim 1, wherein the metadata gateway is implemented on a single server computer system.

8. (Previously presented) The method of claim 1, wherein the metadata gateway is distributed over a plurality of servers, wherein each of the plurality of servers presents a functionally identical view of the metadata gateway.

9. (Original) The method of claim 1, wherein the interface definition language is class-independent.

10. (Previously presented) A method for managing a network, the method comprising:
a client generating a request to encode type information for an object, attribute, or event pertaining to management of one or more managed network objects, wherein the request is expressed in an interface definition language, wherein the interface definition language is operable to define object interfaces across a plurality of platforms and across a plurality of programming languages, wherein each managed network object is a computer programming language object that represents one or more devices on a network;
sending the request to encode the type information to an object request broker;
a metadata gateway receiving the request to encode the type information from the object request

Art Unit: 2451

broker;

translating the type information from the interface definition language to a database format; and
storing the type information in a metadata repository, wherein the type information is stored in a
database format in the metadata repository.

11. (Original) The method of claim 10, wherein the translating the type information from the
interface definition language to the database format comprises:

translating the type information from the interface definition language to an abstract syntax
notation; and

translating the type information from the abstract syntax notation to the database format.

12. (Original) The method of claim 11, wherein the translating the type information from the
interface definition language to the abstract syntax notation comprises:

translating the type information from the interface definition language to an object specification
language; and

translating the type information from the object specification language to the abstract syntax
notation.

13. (Original) The method of claim 10, wherein the sending the request to an object request
broker and the metadata gateway receiving the request to encode the type information from the
object request broker are effected via an internet inter-object communication protocol.

14. (Previously presented) A network management system comprising:

a metadata repository, wherein the metadata repository comprises metadata concerning object
classes for a plurality of managed objects, wherein the metadata comprises information

Art Unit: 2451

expressed in a database format, and wherein the managed objects are computer programming language objects corresponding to managed devices on a network; and
a metadata gateway which is communicatively coupled to the metadata repository and to an object request broker, wherein the metadata gateway is operable to send and receive the metadata from the database, wherein the metadata gateway provides translation of the metadata to and from the database format and an interface definition language, wherein the interface definition language is operable to define object interfaces across a plurality of platforms and across a plurality of programming languages.

15. (Original) The network management system of claim 14, wherein the managed devices comprise a telephone system.

16. (Original) The network management system of claim 14, wherein the managed devices comprise a network switch.

17. (Original) The network management system of claim 14, wherein the metadata gateway further comprises:

a library of data types expressed in an abstract syntax notation, wherein the abstract syntax notation comprises a metadata notation language;

a plurality of object types, wherein each object type comprises one or more of the data types from the library of data types; and

an interface to the plurality of object types, wherein the interface is operable to provide one or more clients with access to the metadata as expressed in the interface definition language.

18. (Original) The network management system of claim 17, wherein the interface to the plurality of object types is a programming-language-independent and platform-independent

Art Unit: 2451

interface.

19. (Original) The network management system of claim 17, wherein the plurality of object types comprise CORBA objects.

20. (Original) The network management system of claim 14, wherein the object request broker is configurable to be accessed by a plurality of network management clients to obtain the metadata as expressed in the generic interface.

21. (Original) The network management system of claim 14, wherein the object request broker comprises a CORBA ORB.

22. (Currently amended) A tangible, computer-readable non-transitory storage medium comprising program instructions, wherein the program instructions are computer-executable to implement:

a metadata gateway receiving a request for type information from an object request

broker that received the request from a client, wherein the request is expressed in an interface definition language, wherein the interface definition language is operable to define object interfaces across a plurality of platforms and across a plurality of programming languages, wherein the type information pertains to management of one or more managed network objects, wherein each managed network object is a computer programming language object that represents one or more devices on a network;

reading the type information from a metadata repository, wherein the type information is stored in a database format in the metadata repository;

translating the type information from the database format to [[an]] the interface definition language; and

the metadata gateway sending the translated type information to the object request broker to send to the client.

23. (Previously presented) The computer-readable storage accessible medium of claim 22, wherein in translating the type information from the database format to the interface definition language, the program instructions are further computer-executable to implement:

translating the type information from the database format to an abstract syntax notation; and

translating the type information from the abstract syntax notation to the interface definition language.

24. (Previously presented) The computer-readable storage accessible medium of claim 23, wherein the abstract syntax notation is Abstract Syntax Notation One (ASN1).

25. (Previously presented) The computer-readable storage accessible medium of claim 22, wherein in translating the type information from the abstract syntax notation to the interface definition language, the program instructions are further computer-executable to implement:

translating the type information from the abstract syntax notation to an object specification language; and

translating the type information from the object specification language to the interface definition language.

26. (Previously presented) The computer accessible medium of claim 22, wherein the interface definition language is class-independent.

27. (Currently amended) A tangible, computer-readable non-transitory storage medium comprising program instructions which are computer-executable to implement:

a metadata gateway receiving a request to encode type information from an object request

broker that received the request from a client, wherein the type information pertains to management of one or more managed network objects, wherein the request is expressed in an interface definition language, wherein the interface definition language is operable to define object interfaces across a plurality of platforms and across a plurality of programming languages, wherein each managed network object is a computer programming language object that represents one or more devices on a network;

translating the type information from ~~[[an]]~~ the interface definition language to a database format; and

storing the type information in a metadata repository, wherein the type information is stored in a database format in the metadata repository.

28. (Previously presented) The computer-readable storage accessible medium of claim 27, wherein in translating the type information from the interface definition language to the database format, the program instructions are further computer- executable to implement:

translating the type information from the interface definition language to an abstract syntax notation; and

translating the type information from the abstract syntax notation to the database format.

29. (Previously presented) The computer-readable storage accessible medium of claim 28, wherein the abstract syntax notation is Abstract Syntax Notation One (ASN1).

30. (Previously presented) The computer-readable storage accessible medium of claim 27, wherein in translating the type information from the interface definition language to the abstract syntax notation, the program instructions are further computer- executable to implement:

translating the type information from the interface definition language to an object specification language; and

translating the type information from the object specification language to the abstract syntax notation.

31. (Previously presented) The computer-readable storage accessible medium of claim 27, wherein the interface definition language is class-independent.--

Allowable Subject Matter

2. Claims 1-31 are allowed.

Reason for allowance

3. This communication warrants no examiner's reason for allowance, as applicant's reply makes evident the reason for allowance, satisfying the record as whole as required by rule 37 CFR 1.104(e). In this case, the substance of applicant's remarks filed on 12/13/2007 and 2/13/2008 with respect to the claim limitations point out the reason claims are patentable over the prior art of record. Thus, the reason for allowance is in all probability evident from the record and no statement for examiner's reason for allowance is necessary (see MPEP 13202.14).

Conclusion

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Khanh Dinh whose telephone number is (571) 272-3936. The examiner can normally be reached on Monday through Friday from 8:00 A.m. to 5:00 P.m.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, FOLLANSBEE JOHN, can be reached on (571) 272-3964. The fax phone number for this group is (571) 273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Application/Control Number: 09/552,985
Art Unit: 2451

Page 12

/Khanh Dinh/

Primary Examiner, Art Unit 2451